

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : TALON SOFT XT

Design code : A22678B

Product Registration Number : IE/BPA 70662-3-002

Unique Formula Identifier (UFI) : MFDW-901C-A00R-DGJQ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Rodenticide

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta Ireland Limited  
Block 6 Cleaboy Business Park, Old Kilmeaden Road,  
Waterford  
Ireland

Telephone : (051) 377203

Telefax : (051) 354748

E-mail address of person responsible for the SDS : cropsales.ie@syngenta.com

#### 1.4 Emergency telephone number

Emergency telephone number : Syngenta +44 1484 538444  
Poisons Information Centre of Ireland  
Members of Public: +353 (1) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)  
Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Specific target organ toxicity - repeated exposure, Category 2, Blood H373: May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version 2.0      Revision Date: 08.05.2023      SDS Number: S00053810114      This version replaces all previous versions.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust.

#### Response:

P314 Get medical advice/ attention if you feel unwell.  
P391 Collect spillage.

#### Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### Hazardous components which must be listed on the label:

brodifacoum (ISO)

#### Additional Labelling

**EUH208** Contains 1,2-benzisothiazol-3(2H)-one. **May produce an allergic reaction.**

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
---------------	---------	----------------	---------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version  
2.0

Revision Date:  
08.05.2023

SDS Number:  
S00053810114

This version replaces all previous versions.

	EC-No. Index-No. Registration number		(% w/w)
2,2'-iminodiethanol	111-42-2 203-868-0 603-071-00-1 01-2119488930-28-xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Repr. 2; H361 STOT RE 2; H373 (Blood, Liver, Kidney)	>= 0.1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60-xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1  specific concentration limit Skin Sens. 1; H317 >= 0.05 %	>= 0.025 - < 0.05
brodifacoum (ISO)	56073-10-0 259-980-5 607-172-00-1	Acute Tox. 1; H300 Acute Tox. 1; H330 Acute Tox. 1; H310 Skin Sens. 1B; H317 Repr. 1A; H360D STOT RE 1; H372 (Blood) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10  specific concentration limit Repr. 1A; H360D >= 0.003 % STOT RE 1; H372 >= 0.02 % STOT RE 2; H373 >= 0.002 - < 0.02 %	>= 0.0025 - < 0.003

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : Take victim immediately to hospital.  
Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Symptoms of poisoning are typical of anticoagulants. In severe cases there may be bruising, haematomas of the joints, blood in the faeces and urine

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : This product contains anticoagulants with an effect similar to warfarin in that they act by interfering with the synthesis of prothrombin.

The specific measure of effect is the prothrombin time. Note this may not become prolonged until 12-18 hours after ingestion.

The specific antidote is vitamin K1 (Phytomenandione). Initially, antidote should be given by injection (10-20mg, or 0.25mg/kg for children), by slow intravenous infusion at a rate not exceeding 1mg/minute. In severe cases the use of fresh frozen plasma may be required.

Maintenance treatment is given orally (40mg/day in divided doses for adults; up to 20mg/day in divided doses for children).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

The prothrombin time and the haemoglobin should be monitored. Patients should be kept under medical supervision until the prothrombin time has been normal for 3 consecutive days.

Oral treatment may need continuing for several months (20mg/day in divided doses for adults and up to 20mg/day in divided doses for children). (For animal cases the dose is 2-5mg/kg).

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.  
Avoid dust formation.

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version 2.0      Revision Date: 08.05.2023      SDS Number: S00053810114      This version replaces all previous versions.

respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). Do not create a powder cloud by using a brush or compressed air. Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,2'-iminodiethanol	111-42-2	OELV - 8 hrs (TWA)	0.2 ppm	IE OEL
		OELV - 8 hrs (TWA) (Inhalable fraction and vapour)	1 mg/m <sup>3</sup>	IE OEL
brodifacoum (ISO)	56073-10-0	TWA	0.002 mg/m <sup>3</sup>	Syngenta

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version 2.0      Revision Date: 08.05.2023      SDS Number: S00053810114      This version replaces all previous versions.

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-iminodiethanol	Workers	Dermal	Long-term systemic effects	0.13 mg/kg
	Workers	Inhalation	Long-term local effects	1 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	0.06 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0.25 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term local effects	0.07 mg/kg
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2'-iminodiethanol	Fresh water	0.02 mg/l
	Marine water	0.002 mg/l
	Intermittent use/release	0.095 mg/l
	Fresh water sediment	0.092 mg/kg
	Marine sediment	0.0092 mg/kg
	Soil	0.00665 mg/kg
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg
	Marine sediment	0.00499 mg/kg
	Freshwater - intermittent	0.0011 mg/l
	Marine water - intermittent	0.000110 mg/l
Soil	3 mg/kg	

## 8.2 Exposure controls

### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Eye/face protection : No special protective equipment required.

Hand protection

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Dust impervious protective suit

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

### Environmental exposure controls

Water : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : solid  
Colour : blue



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

Odour	:	odourless
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1 - 1.2 g/cm <sup>3</sup>
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	No data available

### 9.2 Other information

Explosives	:	No data available
Oxidizing properties	:	No data available
Evaporation rate	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

None reasonably foreseeable.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

#### 10.5 Incompatible materials

Materials to avoid : None known.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### Components:

##### **2,2'-iminodiethanol:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

##### **1,2-benzisothiazol-3(2H)-one:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version 2.0      Revision Date: 08.05.2023      SDS Number: S00053810114      This version replaces all previous versions.

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg  
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **brodifacoum (ISO):**

Acute oral toxicity : LD50 (Rat, male): 0.418 mg/kg  
Acute inhalation toxicity : LC50 (Rat, female): 0.00305 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat, female): 3.16 mg/kg

### **Skin corrosion/irritation**

#### **Components:**

##### **2,2'-iminodiethanol:**

Result : Irritating to skin.

##### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Mild skin irritation

##### **brodifacoum (ISO):**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

#### **Components:**

##### **2,2'-iminodiethanol:**

Result : Risk of serious damage to eyes.

##### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

##### **brodifacoum (ISO):**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version 2.0      Revision Date: 08.05.2023      SDS Number: S00053810114      This version replaces all previous versions.

### Respiratory or skin sensitisation

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Result : Probability or evidence of skin sensitisation in humans

##### **brodifacoum (ISO):**

Test Type : Buehler Test  
Species : Guinea pig  
Result : The product is a skin sensitiser, sub-category 1B.

### Germ cell mutagenicity

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

##### **brodifacoum (ISO):**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

##### **brodifacoum (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Components:

##### **2,2'-iminodiethanol:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

##### **brodifacoum (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT - repeated exposure

#### Components:

##### **2,2'-iminodiethanol:**

Target Organs : Blood, Liver, Kidney

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### brodifacoum (ISO):

Target Organs : Blood  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Components:

#### brodifacoum (ISO):

Remarks : Excessive exposure slows blood clotting time and can cause bleeding, shock and death.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.94 mg/l  
aquatic invertebrates : Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)):  
plants : 0.15 mg/l  
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):  
0.04 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version 2.0      Revision Date: 08.05.2023      SDS Number: S00053810114      This version replaces all previous versions.

icity)

Toxicity to fish (Chronic toxicity) : NOEC: 0.3 mg/l  
Exposure time: 28 d  
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.7 mg/l  
Exposure time: 21 d  
Species: *Daphnia* (water flea)

### **brodifacoum (ISO):**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.04 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.45 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 0.27 mg/l  
Exposure time: 72 h

NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 0.01 mg/l

End point: Growth rate

Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 30 min

M-Factor (Chronic aquatic toxicity) : 10

## 12.2 Persistence and degradability

### Components:

#### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly degradable

#### **brodifacoum (ISO):**

Biodegradability : Result: Not rapidly biodegradable

Stability in water : Degradation half life: ca. 300 d  
Remarks: Persistent in water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

### 12.3 Bioaccumulative potential

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

##### **brodifacoum (ISO):**

Bioaccumulation : Remarks: bioaccumulative

### 12.4 Mobility in soil

#### Components:

##### **brodifacoum (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 157 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **brodifacoum (ISO):**

Assessment : PBT substance

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.
- Waste Code : uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

- ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

- ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

- ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.4 Packing group



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version 2.0	Revision Date: 08.05.2023	SDS Number: S00053810114	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	----------------------------------------------

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA (Cargo)** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

### Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

## SECTION 16: Other information

### Full text of H-Statements

H300	: Fatal if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H360D	: May damage the unborn child.
H361	: Suspected of damaging fertility or the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
IE OEL	: Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
Syngenta	: Syngenta Occupational Exposure Limit
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
Syngenta / TWA	: Time weighted average

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## TALON SOFT XT

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	08.05.2023	S00053810114	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

STOT RE 2

H373

#### Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN